



## Knee Replacement Performance Report 7/1/2004 through 6/30/2005

- = Unfavorable Sev. Adj. Variance at 95 % Confidence Level
- = Neither Favorable nor Unfavorable at 95 % Confidence Level
- = Favorable Sev. Adj. Variance at 95 % Confidence Level
- = Not statistically different from Severity Adjusted Expected

= Indicator is mandatory on MemorialCare Guideline

Note: Observed Values Displayed

ID	Name	Spec	Avg. Sev	No. of Pat	Cephalosporin 1st Generation	LMW Heparin	DVT Prophylaxis	Length of Stay	Readmit	Hemorrhage	Phlebitis or DVT
	Dr. John Doe	ORT	2.99	67	97.0%	91.0%	100.0%	3.3	4.5%	1.5%	1.5%
Severity Adjusted Expected Values					86.3%	48.8%	94.0%	4.3	9.9%	1.0%	1.5%
Hospital A			2.58	261	87.0%	59.0%	100.0%	3.5	5.0%	1.1%	0.8%
Healthcare System			2.25	797	93.4%	72.8%	94.4%	4.0	5.1%	0.8%	0.5%

Source: MEDai

DVT Prophylaxis includes heparin, LMW heparin, Coumadin, sequential hose, or Arixtra.