Community Hospital Long Beach

Community Health Needs Assessment

June, 2013



Contents

List of Figures	2
List of Tables	4
EXECUTIVE SUMMARY	5
INTRODUCTION	6
Community Served	7
Population (age & gender)	8
Service Areas	8
Race and Ethnic Composition	11
Health Status	13
LITERATURE REVIEW	18
METHODOLOGY	20
RESULTS OF THE COMMUNITY NEEDS ASSESSMENT SURVEY	21
Participant Demographics	21
Health Status	32
Health Insurance Status	33
Top Health Problems in Long Beach	34
Barriers to Care, Lack of Health Services, Alternative Health Methods and Health Education S	ources 36
Social Issues Experienced by Young Adults, Adults and Elderly	40
Diabetes, Exercising, Fast Food Consumption and Pregnancy	43
RESULTS OF THE KEY INFORMANT SURVEY	47
Top Health Problems in Long Beach	
Top Reasons for Not Receiving Medical Care	49
Lack of Health-Related Services	
Social Issues in the City of Long Beach	52
Lack of Health Care Providers in the City of Long Beach	53
Places to Receive Prescription Drugs, Health Education and Alternative Health Methods	54
SPECIFIC FINDINGS FOR COMMUNITY HOSPITAL LONG BEACH	56
CONCLUSION	
Specific Findings and Recommendations	63
Health Priorities	63
Barriers to Care (ACCESS)	64
Social Issues (SERVICE GAPS)	65
Community Assets and Resources	
Community Hospital Long Beach Identification and Prioritization of Health Needs	
BIBLIOGRAPHY	
Appendix A: PARTICIPATING KEY INFORMANTS	71
Appendix B: ACKNOWI FDGFMENTS	72

List of Figures

Figure 1: City of Long Beach Population by Age Group based on 2010 Census	8
Figure 2: City of Long Beach Zip Code Map	9
Figure 3: Hospital Service Area by Geocode	10
Figure 4: Long Beach Population by Age Range and Zip Code 2010	11
Figure 5: Long Beach Hispanic/Latino Population by Zip Code	12
Figure 6: Life Expectancy at Age 1 by Long Beach Zip Code	13
Figure 7: Asthma Hospitalization Rate	
Figure 8:Adult Smoking by State, County and City Jurisdictions	15
Figure 9: Adult Diagnosis of Diabetes or Pre-diabetes	15
Figure 10: Hospitalization for Diabetes by Age Group	16
Figure 11: Adult Mental Illness Hospitalization Rate	
Figure 12: Representation of Races in the Data	22
Figure 13: Age Distribution of the Survey Respondents	23
Figure 14: Gender Distribution	
Figure 15: Gender Orientation of Survey Participants	25
Figure 16: Respondents Marital Status	
Figure 17: Educational Attainment	
Figure 18: Income Distribution of Survey Respondents	
Figure 19: Distribution of Number of Residents in Household	
Figure 20: Households Caring for Family Member	
Figure 21: Distribution of Years Living in the United States	
Figure 22: Distribution of Self-Reported Health Status	
Figure 23: Types of Insurance Coverage for Adults	
Figure 24: Top Health Issues of Adults	
Figure 25: Top Health Issues of Elderly	
Figure 26: Proportion of Barriers to Care	
Figure 27: Type of Reasons for Barriers to Care	
Figure 28: Type of Health Care Needed but Not Received by Adults	
Figure 29: Lack of Health-Related Services	
Figure 30: Alternative Health Methods in Long Beach	
Figure 31: Sources of Health Education and Health-Related Information	
Figure 32: Top Social Issues for Young Adults	
Figure 33: Top Social Issues for Adults	
Figure 34: Top Social Issues for Elderly	
Figure 35: Family Member with Diabetes	
Figure 36: Where Participants Receive Diabates Medication	
Figure 37: Exercise Habits of Adults	
Figure 38: Fast Food Consumption by Adults	
Figure 39: Pregnancy in the Last 12 Months	
Figure 40: Background of Key Informants	
Figure 41: Target Population of Key Informants	
Figure 42: Top Health Problems for Young Adults	
Figure 43: Top Reasons for Not Receiving Medical Care	
Figure 44: Lack of Health Related Services for All Age Categories	
Figure 45: Social Issues for All Age Categories	
Figure 46: Lack of Health Care Providers for All Age Categories	
Figure 47: Where the Community Members Receive Medicine	55

	3
Figure 48: Where the Community Members Receive Health Education	55
Figure 49: Use of Alternative Health Methods	56

List of Tables

Table 1: Primary and Secondary Service Areas	9
Table 2: Mental Health Indicators	17
Table 3: Comparison of Adult Health Issues for CHLB	58
Table 4: Comparison of Elderly Health Issues for CHLB	59
Table 5: Comparison of Social Issues of Adults for CHLB	60
Table 6: Community Hospital Long Beach Top 25 DRGs	61
Table 7: Top Diagnosis Codes for Acute Care Admissions	62
Table 8: Consolidated Results of Health Needs Assessment and Key Informant Survey – Health Prioriti	ies
	64
Table 9: Consolidated Results of Health Needs Assessment and Key Informant Survey - Social Issues	66
Table 10: Value Based Assessment of the Identified Adult Health Needs	68
Table 11: Health Needs with a Score of Four or Higher	68
Table 12: Adult Health Priorities	68

EXECUTIVE SUMMARY

Introduction: Four major non-profit hospitals in the city of Long Beach; Community Hospital of Long Beach, Long Beach Memorial Medical Center including Miller Children's Hospital and St. Mary Medical Center have come together in a community partnership to address the health needs of greater Long Beach. Working together in the community, the four local hospitals conducted the greater Long Beach Community Needs Assessment (LBCNA) survey along with key informant survey for 2012. The results of the surveys are shared with community leaders, community-based organizations, stakeholders and the community to improve the quality and quantity of services available; to determine health priorities, and barriers to care and gaps in services available, and to identify social issues/problems in greater Long Beach.

Methodology: Survey instruments were developed through an iterative process with questions covering the above topics affecting, children, teens, young adults, adults and the elderly. The survey instrument was provided in English and Spanish languages. The surveys were collected from a convenience sample at community forums, health fairs and events within the city of Long Beach from September 2011 until March 2012 using web technology. The total number of surveys collected from the LBCNA and key informants surveys were 1,309 (only 1,066 included) and 122, respectively. Results are reported in bar and pie charts along with few tables to summarize findings. Lastly, secondary data analysis was also conducted to validate the primary data that was collected.

Results and Recommendations: This LBCHNA found access to care, chronic diseases, mental health, obesity and prevention to be top five health priorities in greater Long Beach. About 14% of the survey respondents needed medical care but did not receive it. Further investigation showed that lack of health, dental and vision coverage are major barriers to care along with lack of information about where to get care and transportation to services. Most needed health care services are family physician/primary care and behavioral health, specialty care, along with dental care and prescription drugs. Major social issues identified in the study are: lack of exercise, poor nutrition, lack of insurance and affordable health care, air pollution and drug and alcohol programs. Lastly, the study revealed the top five most needed health related services are: transportation, CalFresh (food stamp), before and after school program, counseling and assisted living. Results are mostly consistent between LBCNA and key informant surveys.

Limitations: The study used convenience sampling to reach vulnerable populations. The study employed basic statistics so the study results may not be generalizable for the whole population of Long Beach.

Future Considerations: Hospitals in conjunction with the public health department and community organizations should collaborate and implement the recommendations made in this report. Each hospital should emphasize a certain area (s) so no overlapping occurs. Monitoring and evaluating of each program implemented by hospitals must be made every year until the next LBCNA report.

With the creation of a community partnership, hospitals are able to decrease the amount of duplicate services as well as increase the amount of resources available to target the most significant community needs of a diverse population.

INTRODUCTION

The community health needs assessment was used to identify and prioritize the community's health needs through the collection and analysis of community input and data. Essential local service providers and policy makers use the community needs assessment results to clearly inform policy development related to health care in the city. Through the analysis of the community data, hospitals can use the results to develop new strategies to improve the health of their community (Bilton, 2011).

In 1996, the Senate Bill 697 passed, requiring non-profit hospitals in the state of California to conduct community needs assessments every three years to assist in the development of their community benefit plans (Official California Legislative Information, 1994). In addition, the Patient Protection and Affordable Care Act of 2010 requires all non-profit, tax-exempt hospitals to develop and adopt an implementation strategy to address the identified needs and report such strategies to the Internal Revenue Service (Bilton, 2011). The purpose of this report is to create more transparency between the organization's mission and the community benefit services being offered.

Authors

Over the past twenty years, a community needs assessment has been conducted to determine the specific health needs of the Long Beach population. The Long Beach Community Health Needs Assessment was conducted in partnership with and funded by non-profit hospitals in Long Beach (Long Beach Memorial, Miller Children's Hospital Long Beach, Community Hospital Long Beach and St. Mary Medical Center) and representation from the local health department and City. We contracted with Tony Sinay, Ph.D., department chair of Health Care Administration in the College of Health and Human Services at California State University Long Beach to conduct the primary data collection, analysis and report. This is the fourth health needs assessment Dr. Sinay and his team has conducted for the nonprofit hospitals in Long Beach. His background in health care management and statistical analysis provides an excellent partnership in our efforts to collect and analyze primary health data in the City. Cindy Gotz, MPH, C.H.E.S., Community Benefit Manager for Long Beach Memorial and Miller Children's Hospital Long Beach lead the secondary data assessment and analysis. Her background in public health and community health education provides an excellent foundation to direct this assessment. Cheryl Barrit, M.P.I.A. Preventive Health Bureau Manager, Long Beach Department of Health and Human Services was instrumental in providing access to the LBDHHS recent 2012 Community Health Assessment. With a commitment to ensure the health of the Long Beach population, this partnership conducted the Long Beach Community Health Needs Assessment.

Methods

The Community Needs Assessment survey for 2012 is based on self-reported health experiences of participants. The data was analyzed, focusing primarily on access to care, availability of health services, major health problems and social issues affecting children, teens, and adults living in the greater Long Beach area. According to Healthy People 2020, access to health care services impacts a range of health outcomes, from physical and mental health status, to disease prevention and treatment of health conditions (U.S. Department of Health and Human Services, 2010). In order to access such services, individuals need to know where to locate the services needed. Through the results of the analysis, community partners can identify gaps in services provided, leading to improvements in the health status and quality of life of the community through education, program development, increased access and availability of services.

A key informant survey, which is similar to the LBCNA survey, was also administered with individuals who represent the local health care system in the city of Long Beach. Using web technology, key informants from local hospitals, public health and nonprofit organizations, academicians and city officials responded to a survey to enhance the findings of the LBCNA survey and attempt to discover relatively new emerging health and health-related issues. Results of the surveys are reported and findings were summarized as well.

The secondary data analysis was conducted using Census 2010, Community Health Assessment (City of Long Beach, Department of Health and Human Services, 2012), Office of Statewide Health Planning and Development (OSHPD) and the California Health Interview Survey (CHIS) to validate the primary data collected. Combined with the survey results, these data are up-to-date and provide information related to community demographics and inform the identification of health needs in the community.

Information Gaps

Information gaps that impact the ability to assess the Community Hospital Long Beach service area health needs were identified. Most notably, there are limited sources for city level data related to adult obesity. The study used convenience sampling to reach vulnerable populations and may be over sampled as compared to other areas of the City. The study employed basic statistics so the study results may not be generalizable for the whole population of greater Long Beach.

Healthcare Facilities and Community Resources

A list of existing facilities and resources within the community that are available to meet identified community health needs are outlined at the end of this report.

Community Served

The city of Long Beach is situated in Los Angeles County in Southern California. According the 2010 U.S. Census, the city is the thirty-fourth largest city in the nation and the fifth largest city in California (California Department of Finance, 2011). Long Beach is recognized as one of the most diverse cities in the nation, with the largest Cambodian population outside of Southeast Asia (U.S. Census Bureau, 2010). The racial composition of the city is predominantly Hispanic or Latino (40.8%), followed by White (29.4%), Black or African American (13.0%), Asian (12.6%), Native Hawaiian and Other Pacific Islander (1.1%), two or more races (2.7%), and 0.2% reporting some other race.

According the 2010 U.S. Census, the population of Long Beach was 462,257, only a 0.2% increase from the 2000 U.S. Census. In 2010, the gender structure was evenly divided, with slightly more females (51.0%) than males (49.0%). The median age is 33.2 years, with 7% of the population under the age of five and 9.3% of the population 65-years and older (U.S. Census Bureau, 2011). The estimated median family income in 2010 was \$51,173 and the percentage of families below the poverty line was reported at 19.1% compared to the state rate of 13.7% and national rate of 15.1% (De Navas-Walt, Proctor & Smith, 2011). The unemployment rate in Long Beach for November 2010 was reported as 12.2 %, slightly higher than Los Angeles County's 11.1% and the state's average of 10.9% (State of California, 2012).

<u>Population (age & gender)</u>

According to the 2010 Census and reported in the Community Health Assessment conducted by the City of Long Beach, Department of Health and Human Services in 2012, the population of Long Beach is evenly split along gender lines, 51% female and 49% male and the average age is 33.2 years. The largest segment of the population is within the age group 25-44 (30.5% of the population) followed by those aged 18 and under with 24.9%. The elderly aged 65 and over make up 9.3% of the city's population, which is reported to be slightly lower than the county and state averages of those in this age group (10.9% for County of Los Angeles and 11.4% for the state of California).




Figure 1: City of Long Beach Population by Age Group based on 2010 Census

Source: City of Long Beach, Department of Health and Human Services, 2012

Service Areas

Long Beach Memorial Medical Center (LBMMC) is comprised of three separately licensed hospitals, Long Beach Memorial, Miller Children's Hospital Long Beach and Community Hospital Long Beach and is part of the MemorialCare Health System based in Fountain Valley, California. The three MemorialCare Long Beach hospitals together serve the greater Long Beach area. These service areas were identified through the 2008 OSHPD data and the zip codes related to the primary and secondary service areas are delineated in Table 1. Long Beach has its own health jurisdiction, one of only three cities in the state, and is also considered part of service planning area eight (SPA8) within Los Angeles County. All three hospitals are in SPA8.

Table 1: Primary and Secondary Service Areas

Primary Service Area*		
City	Zip Code(s)	
Long Beach	90805, 90806, 90807,	
	90810, 90808, 90813 ,	
	90815, 90802, 90804,	
	90803, 90814	
Secondary Service Area*		
City	Zip Code(s)	
Lakewood	90712, 90713	
Seal Beach	90740	
Compton	90221, 90220	
Bellflower	90706	
Carson	90745, 90746	
Cerritos	90703	
Paramount	90723	
Los Alamitos	90720	
Signal Hill	90755	
Cypress	90630	
Norwalk	90650	
Lynwood	90262	
Wilmington	90744	

^{*}Based on calendar year 2008 OSHPD data


The age distribution of Long Beach residents by zip code as compared to the top four zip codes (90805, 90806, 90807, and 90813) related to inpatient origin for Community Hospital Long Beach is very similar in distribution.

Figure 2: City of Long Beach Zip Code Map



Map created on December 19, 2012 at HealthyCity.org

The community benefit service area of Long Beach Memorial is depicted in Figure 3 and is comprised of where our patients originate based on discharge data; 27 zip codes in 6 geocoded regions. We provide service to greater Long Beach, South Bay, both a part of Los Angeles County, and northern sections of Orange County.



However, when comparing all the zip codes in Long Beach by age distribution there are pockets of the City, which look very different with a larger percentage of those under the age of 18 predominately residing in 90805, 90806, 90810 and 90813 zip codes. Additionally, the areas with higher percentages of

older adults (age 45 and older) are found in the 90803, 90807, 90808 and 90815 zip codes (Figure 4).

Population Age Range by Zip Code, Long Beach, 2010 90% 70% 60% 50% 40% 30% 20% 10% 0% Long 90802 90815 Beach 90803 90804 90805 90806 90807 90808 90810 90813 90814 Total 65+ 9.3% 13.6% 8 5% 15 5% 5.9% 6.7% 7.6% 12 9% 14.1% 10.3% 5.5% 9.8% **45-64** 23.6% 30.4% 18.3% 24.0% 31.2% 20.1% 20.7% 21.7% 29.3% 22.4% 26.5% 26.3% 24-44 30.5% 40.6% 33.8% 34 5% 29.0% 28.9% 28 5% 25.2% 26.9% 30.1% 38.0% 25 1% **18-24** 11.7% 7.8% 8.0% 13.4% 16.0% Under 18 24.9% 16.5% 11.7% 24.5% 31.4% 29.9% 21.1% 22.3% 28.9% 32.7% 15.6% 19.0% Zip Code

Figure 4: Long Beach Population by Age Range and Zip Code 2010

Source: City of Long Beach, Department of Health and Human Services, 2012

Race and Ethnic Composition

The City of Long Beach is often referred to as one of the most diverse cities in the nation. Over 40% of the population is Hispanic followed by White (29%), African American (13%) and Asian (over 12%) and other ethnic or race identifiers (4.3%) according to the 2010 Census. The City of Long Beach, Department of Health and Human Services report Hispanic's make up 50% or more of the population in the following zip codes; 90805, 90806, 90810 and 90813 whereas Whites make up the majority in 90814, 90803, 90808 and 90815. The highest concentration of African Americans is found in 90805, 90806, 90807, 90810, 90802, 90804 and 90813 and Asians are found in 90806, 90807, 90810, 90804, and 90813 (figure 5).




Figure 5: Long Beach Hispanic/Latino Population by Zip Code

n Health Care

Ethnicity / Race: Latino Population (DOJ Tabulation)

0.0 - 0

0 - 0.1

27 - 100

Universe: Total Population. Data source: U.S. Census Bureau Decennial Census. Data Year: 2010. Data Level: Census Block (2010). Map created on December 19, 2012 at HealthyCity.org

Along with the diversity in the population comes language diversity. The majority of the population in Long Beach speak English (53.2%) followed by Spanish (34%). About 10% of the population reports speaking an Asian or Pacific Islander language e.g., Khmer.

During the 2010-2011 school year, the number of English language learners in grades K-12 in the Long Beach School District totaled 19,774,out of the 84,816 students enrolled or 23.3% (California Department of Education, 2011). The Long Beach Unified School District is very diverse with a total of 30 different languages spoken including Spanish, Khmer, Tagalog, Vietnamese and Samoan (California Department of Education, 2011).

Health Status

The City of Long Beach, Department of Health and Human Services (LBDHHS) reports a disconnect between reported health status and life expectancy for residents of Long Beach as compared to the broader Los Angeles County service planning area eight (SPA 8) (South Bay area which includes Long Beach). The health status is reported as good, very good or excellent for SPA 8 according to the California Health Interview Survey (CHIS) 2009. However, the life expectancy is lower for Long Beach (78.6) than Los Angeles County (80.3) and the South Bay. Additionally the mortality and morbidity rates and causes vary geographically across the City. According to the LBDHHS, life expectancy by zip code analysis found those living in the 90802 zip code had the lowest life expectancy in the City, 75.6 years and 90815 had the highest life expectancy, 82.8 years. Life expectancy measures began at age 1.




Figure 6: Life Expectancy at Age 1 by Long Beach Zip Code

Source: City of Long Beach, Department of Health and Human Services and Rethinking Greater Long Beach

The leading causes of death in 2010, according to LBDHHS were 1) heart disease, 2) Cancer and tied for third place chronic lower respiratory diseases and cerebrovascular diseases. Alzheimer's, accidents or unintentional injuries, diabetes mellitus, influenza and pneumonia, chronic liver disease and cirrhosis, and intentional self-harm or suicide complete the top 10 leading causes of death accounting for four percent or less, individually.

Heart Disease

Heart disease affect men and women living in the City equally but African American residents hospitalized for heart disease have a higher rate, 303/100,000, than the other ethnic groups, which together average about 150/100,000. Reviewing hospitalization by zip code related to heart disease, LBDHHS found zip code 90813 was disproportionately affected with a rate of 234.7/100,000 the next highest rate was 185.4/100,000 in 90805.

Asthma

Asthma is a respiratory disease that is on the rise not only nationally but locally as well. According to the LBDHHS, there are more than 55,000 adults living with asthma in Long Beach and those diagnosed with asthma in the City are higher than county and state levels (except one zip code, 90813 is slightly below the state level 13.7% - but has the highest hospitalization rate more than 28%). Hospitalization rates for asthma which is not well controlled are highest in the African American community (3 to 4 times higher than other ethnicities) within the City. The age range for those most hospitalized for asthma related complications were 0-14 and over age 45.





Figure 7: Asthma Hospitalization Rate

Source: City of Long Beach, Department of Health and Human Services, 2012 (OSHPD 2007 Data)

Tobacco Use

In California, 13.1% of adults report using tobacco according to the California Dialog on Cancer (CDOC), California's comprehensive cancer control plan 2011-2015. The participants responding to the CHIS survey (2009), who answered questions related to health behavior and tobacco use, 12% of adults living in service planning area 8 reports having smoked. Additionally, the Los Angeles County report on cigarette smoking in 2010 found over 15% of Long Beach residents report smoking. The American Cancer Society estimates that 16,000 Californians will lose their life in 2012 due to tobacco (2011).


Figure 8:Adult Smoking by State, County and City Jurisdictions



Diabetes


Diabetes is a growing national issue and the city of Long Beach is no exception. According to the California Diabetes Program, over half a million adults living in Los Angeles County have diabetes (2009). In Long Beach specifically, those adults diagnosed with diabetes or pre-diabetes range from 15% to more than 24% as identified in Figure 9.

Figure 9: Adult Diagnosis of Diabetes or Pre-diabetes



Source: City of Long Beach, Department of Health and Human Services, 2012 (Healthycity.org and CHIS 2009 datasets)

Figure 10: Hospitalization for Diabetes by Age Group




Source: City of Long Beach, Department of Health and Human Services, 2012 (OSHPD 2007 dataset)

As age increases so does the risk of hospitalization from complications associated with diabetes. LBDHHS reports those adults aged 45 and older made up nearly 75% of the hospitalizations due to diabetes in 2007.

Mental Health

Mental health can be characterized as emotional, psychological distress. Severe stress, abuse of alcohol and/or drugs can also impact a person's mental state and quality of life. Access to mental health services is increasingly important. Identified in the 2009 and 2012 Long Beach Community Health Needs Assessments, conducted by area hospitals, mental health was indicated as a high need for all age groups. Reviewing the hospitalization rates for mental health related issues (schizophrenia, psychoses, neuroses, paranoia or senility) Long Beach hospitalization rates per 100,000 range from 273 to 1598 (the state rate is 551.7).

Figure 11: Adult Mental Illness Hospitalization Rate



Source: City of Long Beach, Department of Health and Human Services, 2012 (Healthycity.org and OSHPD 2010 datasets)

According to the Centers for Disease Control and Prevention (CDC) one in four U.S. adults is living with a mental illness and the burden of mental health issues impacts the disability rates (2011). Mental illness ranks as the highest collective cause of disability in developed nations (CDC, 2011).

Table 2: Mental Health Indicators

	SPA 8	California
Adults who had serious psychological distress during the past year	7.1%	6.5%
Adults who needed help for emotional –mental and/or alcohol-drug	13.5%	14.3%
issues in past year		
Adults who saw a health care provider for emotional/mental health	9.1%	10.9%
and/or alcohol-drug issues in past year		
Has taken prescription medicine for emotional/mental health issue in	9.6%	9.7%
past year		
Sought/needed help but did not receive treatment	44.4%	44.5%

Source: California Health Interview Survey (CHIS), 2009 dataset

Table 2 provides indicators from the 2009 California Health Interview Survey (CHIS) on the mental health experience of those living in service planning area 8, which includes Long Beach, compared to California as a whole. While SPA 8 is generally on par with California as a whole, there were more adults reporting a serious psychological distress in SPA8. In general, the most striking statistic is related to a lack of treatment received for a mental health condition, more than 44%.

LITERATURE REVIEW

The Patient Protection and Affordable Care Act of 2010 require that all non-profit hospitals conduct a Community Need Assessment every three years. Community Health Needs Assessments (CHNA) provides the opportunity to help identify and prioritize the needs of a community and provide an implementation strategy to address these needs (Bilton, 2011). In addition to the community needs assessment, The U. S. Department of Health and Human Services released a National Strategy for Quality Improvement in Health Care, March 2011 in an effort to create national priorities to improve the quality of health care in the United States (USDHHS, 2011). The strategy lists three aims for the health care system: better care, healthy people and communities, and affordable care (USDHHS, 2011).

In order to collect "community intelligence", local community-based organizations, advocacy groups and the entire community of health providers need to be engaged in the collection process and in determining the potential needs of the community. Community health partnerships are essential for community health improvements. Community partnerships can identify the gaps in services provided; leading to improvement in the health status and quality of life of the community through education, program development, increased access and availability of services (Somerville, et al., 2012).

When unmet health needs are identified through the process, the community partnership can help develop initiatives to address the needs brought forth by the assessment process. Hospitals have been entrusted to address the acute needs of patients waking through their doors. In addition, they are entrusted with improving the lives of community residents in which they serve. This includes; conducting health fairs, providing community clinics and leading health education classes. Hospitals are expected to be accessible and provide cost effective services to all community members equally. By conducting a community needs assessment, hospitals are viewed by their respective service area constituents as being concerned, focused and responsive to the community's health (Proenca, Rosko & Zinn, 2000). Through the use of health needs assessments, the community is included in the overall process of needs identification (Holt, 2008).

The purpose of a community health assessment is to determine if the community has access to quality, affordable and effective health services and to implement a plan to address the needs brought forth by the assessment process. The vision of Healthy People 2020 is to create a society in which all people live long healthy lives. In order to reach this vision, communities need to achieve health equity, eliminate disparities, and improve the health of all groups (USDHHS, 2010a). CHNAs assist the community in maintaining a long term strategic view of the community's health status and the influencing associated factors. A CHNA can be instrumental in determining not only the current health status of a defined population, but also uncover the capacity for addressing the needs. Communities who completed an assessment found that health problems were prioritized, 100% of the time. Additionally, strengths to completing a CHNA found that communications improved between community groups, data interpretation skills were improved and problems were better understood within the community. "Motivating communities to take responsibility for their own health problems is very much the point of community assessment and may represent a more important outcome than the community benefit derived from an assessment alone" (Curtis, 2002, p.21).

The main reason that hospitals are putting resources into community engagement is "health is our mission." Only ten percent of health production is contributed by medical care, the other 90% has to do with genetics, behavior and the environment in which a person lives. In the United States, seven of the ten leading causes of death are linked to preventable lifestyle behaviors (CDC, 2009). In order to

improve health, hospitals (especially not-for-profit hospitals) must focus on the community, which is made up of social network, environment and behaviors of its constituents. Designing an environment through active engagement and fostering healthy lifestyles, is imperative to the creation of health (Health Research & Educational Trust, n.d). In addition, psychosocial health contributes greatly to a person's quality of life (Donatella, 2010). When developing programs, psychosocial health needs must be considered as an aspect of wellness. "Comprehensive community needs surveys should include assessment of environmental, psychosocial, and physiological aspects of health as well as indicators of health-related behaviors in the population" (Lundeen, 1992, p. 243).

All communities should collect data on the health related problems of its residents at regular intervals. The use of the assessment data can assist in health program planning and evaluation, which is sensitive to identified issues and needs of the population or subgroups. The assessment process is not an outcome in and itself rather, once needs are identified the process of meeting those needs through clinical and health promotion or education interventions need to be put in place and executed (Clegg & Doherty, 2001). The assessment process allows for identification of health problems that need to be addressed and any changes in the community (McKenzie, Pinger & Kotecki, 2008).

In order to assess the need of the city of Long Beach, Community Hospital Long Beach, Long Beach Memorial Medical Center including Miller Children's Hospital and St. Mary Medical Center came together in a community partnership to conduct an assessment. The last three assessments were conducted in 2005, 2007 and 2009. A newly revised needs assessment survey and a key informant questionnaire were used for the 2012 report, which aimed to collect information regarding the health status, access and issues related to all segments of the population living in Long Beach. The next section discusses the Methodology used in the study followed by the Results section. The "Conclusion" and "Specific Findings and Recommendations" sections summarize findings and offer recommendations for hospitals to consider.

METHODOLOGY

A literature review was conducted to ascertain the use of community health surveys and assessments within the published texts. Peer reviewed journals were consulted and several articles were selected. The Health Needs Assessment Report of city of Long Beach has two distinct parts. In the first part of the study, the Long Beach Community Health Survey was used to collect data related to the health care needs within the Long Beach community. The community health survey instrument consists of thirty-one questions covering topics such as; population demographics, health concerns affecting children (ages 0-12), teens (ages 13-18), young adults (ages 19-25), adults (ages 26-65) and the elderly (ages 65 and over), and access to services and providers. The survey instrument was developed through an iterative process involving a literature review and analysis of previous surveys to determine types of questions and specific wording to generate information important to the process. The survey instrument was provided in both English and Spanish languages. Several meetings were held with community partners to obtain input in order to capture the unique needs of community partners, which resulted in several revisions of the survey instrument.

Surveys were collected from a convenience sample at community forums, health fairs and events within the city of Long Beach from September 2011 until March 2012 using SurveyMonkey. In an effort to control costs, the surveys were self-administered to a convenience sample at these events. The survey was also posted on the hospitals' web sites along with the Long Beach Department of Public Health web site so that other participants could have easy access to the survey. Respondents are residents of the greater Long Beach area, which included; Long Beach, Lakewood, Compton, Carson, Lynwood, Torrance, Wilmington, Signal Hill, Seal Beach and Bellflower. A total of 1,309 surveys were collected; however, only 1,066 surveys were accurately completed and used for analysis.

The second part of the study employed a key informant survey. The main reason for surveying key informants was to enhance the data collection activity with input from individuals who have access to special segments of the population. The key informant survey was developed the same way the community health survey instrument was developed. Through an iterative process involving a literature review, examination of previous surveys and community partnerships input from several meetings helped to finalize the key informant survey. Each hospital included in the study used key informants in the past for a variety of reasons for their community outreach and community benefit activities. Key informant lists were combined into a master list, which added up to over 433 key informants. Using web technology (SurveyMonkey), informants were asked to complete and submit surveys in order to share their valuable input in this project. Email reminders were sent to key informants twice in order to increase the response rate.

Descriptive statistics were used to analyze primary data from both the community and key informant surveys. Health priorities identified in both surveys were then consolidated and ranked according to an aggregate score. Presentation of all the health indicators and survey results data were presented at a community forum. Prioritization of health needs was discussed in a small group breakout session and results were disseminated to all attendees.

RESULTS OF THE COMMUNITY NEEDS ASSESSMENT SURVEY

Participant Demographics

The Long Beach Community Health Survey was developed to provide insight into the health needs of residents living in greater Long Beach. A total of 1,309 surveys were received from the public as a result of intense effort at community events. Survey data was transferred to SPSS and data cleaning was performed. The final data sample included 1,066 surveys because 243 surveys were removed from the data sample for two main reasons: (1) out of area zip codes and (2) blank surveys or those with large missing information.

The Catholic Healthcare West (CHW) developed a Community Need Index (CNI) tool that provides a "picture" of the community's needs and access to care. The CNI collects five socioeconomic variables by zip codes, which have demonstrated a link to health disparities (income, language, education, housing and insurance coverage). The scale is 1-5, the higher the score, the greater the need for services (St. Mary Medical Center, 2011). In Long Beach, six of the fourteen zip codes are in areas with greatest need for services.

Respondents living in the 90813 zip code had the highest percentage (12.6%) of participation in the survey followed by 90802 (9.6%), 90805 and 90806 (6.4%) and 90804 (5.5%). All of these zip codes fall into the highest need category, according to the Community Needs Index (CNI) developed by Catholic Healthcare West. The zip code 90815 acquired 5.8% of the survey responses; however this zip code falls in the moderate need according to the CHW.

The zip codes with the highest need included 90802, 90804, 90805, 90806, 90810 and 90813. A large number of survey respondents (490) live in 'Highest need' areas in Long Beach. The other half of the survey sample was drawn from the moderate to low need zip codes. The data sample properly represented the vulnerable neighborhoods of Long Beach.


Zip Codes with the Greatest Frequency

ZIP	COUNT
90813	134
90802	102
90805	68
90806	68
90815	62
90804	59
90807	47
90803	38
90808	35
90810	35
Others	418

Racial Composition

The majority of survey respondents were Hispanic/Latino (33.9%) and non-Hispanic Whites (31.3%) followed by Asian, Pacific Islander (16.5%), Black/African American/African (17.6%), Biracial/Multiracial (3.4%) and Native American, Alaska Native (.1%). When Asian and Pacific Islanders are split into discrete ethnic groups, the representation was Filipino (72.9%), Khmer (16.7%), Vietnamese (4.2%), Samoan and Chamorran (2.8%) and Tongan (.7%). Hispanic/Latino when split into discrete ethnic group included Mexican (82.3%), South or Central American (15.3%), Puerto Rican (2.8%) and Cuban (1.2%).


According to the 2010 U. S. Census, the racial distribution in the city of Long Beach included Hispanic or Latino making up 40.8%, followed by White (29.4%), Black or African American (13.0%), Asian (12.6%), Native Hawaiian and Other Pacific Islander (1.1%), two or more races (2.7%) and 0.2% reporting some other race. The Hispanic/Latino, Black/African American and White population is slightly over represented; and the Asian and Pacific Islanders is slightly under represented (see Figure 12).



When the data sample was divided between most vulnerable and less vulnerable zip codes, Hispanic/Latino and Black/African American population in most vulnerable areas increased up to 41% and 21%, respectively. Further investigation of Hispanic/Latino data suggested that about 81% of the respondents have a Mexican origin and another 15% have a Cuban origin. This distribution stayed about the same when the data was analyzed for only vulnerable areas. The majority of the Asians are Filipinos in the data, about 69% in vulnerable areas.

Age Distribution of Survey Respondents


The age distribution from survey respondents were 46-64- years-old (35.7%) followed by 27-45-years old (34.4%), 65 and older (16%) and finally 18-26-years-old (12.1%). This age distribution translated to an average age of approximately 46 years. According to the 2010 U. S. Census, the median age of the Long Beach population was 33.2 years old, which is clearly significantly younger than the average person in the survey sample. That is why the results of the survey should be interpreted cautiously. When the smaller data sample for only vulnerable zip codes was used, the age distribution stayed about the same which means that results are more applicable for older individuals living in most vulnerable sections of the city (see Figure 13).



Gender and Gender Orientation

The majority of the survey respondents were females (67.8%) followed by males (32.1%) and transgender (.1%). In the 2009 Long Beach Needs Assessment Survey, approximately 60% percent of the respondents were females. According to the 2010 U. S. Census, 51% of the population living in Long Beach is female and 49% are male. Women were overrepresented in this study. When the data was analyzed for only vulnerable zip codes, the gender distribution stayed about the same.

Figure 14: Gender Distribution




Long Beach has one of the largest gay, lesbian, bisexual and transgender populations in Los Angeles County. Over eighty percent of respondents identified as heterosexual (80.7%) followed by no comment (9.9%), gay (6.2%), Lesbian (2.3%) and bisexual (.8%). This distribution is very similar to the gender orientation obtained in the 2009 Long Beach Health Needs Assessment. When the data sample was analyzed for only vulnerable zip codes, the distribution of gender orientation stayed the same except for the "no comment" proportion which increased to 14%.

Figure 15: Gender Orientation of Survey Participants Gender Orientation 81% Heterosexual Lesbian Gay Bisexual 10% 6% ■ No Comment 2% 1% **Vulnerable - Gender Orientation** 1% 14% 8% Heterosexual 3% Lesbian Gay 74% Bisexual ■ No Comment

Marital Status

The breakdown of respondents based on marital status is identified in Figure 16. Almost equal numbers of respondents were married or single in the data, about 39.6% and 40.0%, respectively. According to the 2010 U. S. Census, 36.2% of residents of Long Beach were married and 46.1% have never been married. Our sample has slightly more married and more single individuals than the general population. This may be the result of overrepresentation of older population in the study.


When the data sample was analyzed for only vulnerable zip codes, the proportion of married people in the sample decreased to 33% from 39%. In addition, the proportion of single individuals went up to 45% from 40%; about 5 percent increase.




Educational Attainment

The majority of respondents have completed grade 12 or beyond, 93% overall when combining high school equivalency and college attendance categories. Only 7% of the respondents did not finish high school and .7% of the respondents never attended school. According to the 2010 American Community Survey, 83.2% of 18-24-year-olds living in Long Beach have a high school education and 78.5% of individuals over the age of 25 were high school graduates (see Figure 17). When the data was analyzed for only vulnerable zip codes, the proportion of the following categories, grades 1 through 5, 6 through 8, 9 through 12 (and GED) and some college, increased whereas the proportion of other categories representing more education attainment decreased.

Figure 17: Educational Attainment





Annual Income

The survey indicated that 23% of respondents had an income over \$75,000, which increased 10% from the community health survey conducted in 2009. The income category most frequently reported was over \$75,000 (23%), followed by don't know/not sure (13.7%) and less than \$10,000 (13.4%). According to the 2010 U. S. Census Bureau, the mean family income for residents of Long Beach was \$51,173; however, 19.1% of families were living below the poverty line. When the data sample was analyzed for only vulnerable zip codes, as expected, the percentages of higher income categories decreased and those of lower income categories increased.

Figure 18: Income Distribution of Survey Respondents **Annual Income** Less than \$10,000 13% 14% ■ \$10,000 to \$19,999 11% ■\$20,000 to \$29,999 23% 10% ■ \$30,000 to \$39,999 ■ \$40,000 to \$49,999 8% 13% 8% ■ \$50,000 to \$74,999 Over \$75,000 ■ Don't know/not sure **Vulnerable - Annual Income** Less than \$10,000 15% 20% ■ \$10,000 to \$19,999 9% ■ \$20,000 to \$29,999 11% ■ \$30,000 to \$39,999 19% ■ \$40,000 to \$49,999 11% 8% ■\$50,000 to \$74,999 Over \$75,000 ■ Don't know/not sure

Average Household Size

The majority (80.3%) of respondents reported between 1 and 4 people in the households and 20% living with 5 or more individuals. According to the 2010 U. S. Census the average household size in Long Beach was 2.78 and the average family size was 3.52. Analyzing the data for vulnerable zip codes changed the distribution very minimally.


Number of Residents in Household 1 22% **2 3** 16% **4** 27% **5** 15% ■ 7 or more **Vulnerable - Household Residents 1** 25% 12% **2 3** 14% **4** 24% **5** 14% **6** ■ 7 or more

Figure 19: Distribution of Number of Residents in Household

Caring for Family Member at Home


One of the important findings of the study is related to caregivers at home, which previous needs assessment reports did not address. Twenty-three percent of respondents were caring for a family member at home. Individuals who need care at home included elderly parent (8%), family member with special needs (3.4%), and grandchild/children (12%). When the data of vulnerable zip codes was isolated, these findings did not change significantly.

Figure 20: Households Caring for Family Member




Years Living in the United States

The majority of participants were born in the United States (52.2%) and only 5.8% have lived here for less than five years. Further analysis showed that only 0.4% of the survey respondents lived in Long Beach less than one year. When the data sample was analyzed for vulnerable zip codes, results stayed about the same. The proportion of individuals who lived in the United States less than one year increased to 1%. Socioeconomic factors and acculturation were closely related to health outcomes. Sometimes acculturation improved health outcomes, but many times, it increased risks for diseases such as diabetes and obesity (Fitzgerald, 2010).



Health Status

The 2012 respondents to the Long Beach Needs Assessment Survey reported their health as excellent (17.6%), good (54.9%), fair (22.8%) and poor (4.5%). There were more people with excellent to good health status (74%) than there were with poor to fair health (36%). Sixty-seven percent of participants living in vulnerable zip codes viewed their overall health as excellent to good and 33% of participants viewed their health are fair to poor. According to the County Health Rankings 2012, those reporting poor to fair health in Los Angeles County was 22%, which was slightly lower than the survey respondents (University of Wisconsin, 2012). This may be attributed to the oversampling of older age groups in the data sample.



Health Insurance Status


Participants were asked about their health care coverage, as well as the coverage for their children. About thirty-eight percent of respondents reported that they have employer job-based insurance, followed by no insurance (17%), Medicare (16%), Private Pay (15%), Medicaid (12%), Healthy families (2%) and VA (1%). Of those individuals reporting some type of private health care insurance coverage, 39% were also covered by dental insurance and 35% were covered by vision insurance. Los Angeles County reported an uninsured rate of 28.9% (Lavarreda, & et al., 2010). When the data was analyzed for vulnerable zip codes, uninsured population and the Medicaid coverage in the data sample increased to 24% and 20%, respectively.

Figure 23: Types of Insurance Coverage for Adults Adult Insurance Private Pay 1% 2% 15% 17% ■ Job-based 12% ■ Medicare (SS) ■ Medicaid (Medi-Cal) 37% 16% VA ■ Healthy Families ■ No Insurance **Vulnerable - Adult Insurance** ■ Private Pay 12% 24% ■ Job-based 2% 25% ■ Medicare (SS) 1% ■ Medicaid (Medi-Cal) 20% VA 16% ■ Healthy Families ■ No Insurance

Top Health Problems in Long Beach


The top health issues and problems that currently affect the city of Long Beach residents are reported below for young adults, adults and elderly. Participants were allowed to check more than one single health problem so the total percentage of given answers exceeds 100%. In the case of adult health problems, responses were received from 493 individuals. Adults reported that high blood pressure was a major issue for this group (46% of the respondents), followed by diabetes (26%), anxiety (22%), obesity (22%), arthritis (22%) and depression (22%). Clearly, high blood pressure requires immediate attention but the other five major health problems for adults should be noted as well. When the data were analyzed for vulnerable neighborhoods, results stayed about the same.

Figure 24: Top Health Issues of Adults



The elderly segment of the data sample reported high blood pressure to be a major issue followed by Arthritis and Diabetes. Two other health issues mentioned by the elderly were cancer and especially depression when the data was analyzed just for vulnerable groups. About 245 respondents provided input into this question and an overwhelming majority (52%) marked high blood pressure as a health issue to be addressed.





Barriers to Care, Lack of Health Services, Alternative Health Methods and Health **Education Sources**

In the 2012 Long Beach Community Health Survey, participants were asked if their family needed medical care but did not receive the care, only 13.6% of the respondents needed care but did not get care. This went up to 17% when only vulnerable zip codes were included in the analysis. Participants were also asked about barriers to receiving proper medical care over the previous 12 month period as a follow-up question. The majority of participants (60%) reported that they did not receive the health care needed due to lack of insurance (60%) followed by co-payment being too high (23%). Two other reasons included, did not have time (11%) and took care of it at home 10%, respectively. All other reasons for not receiving proper medical care had single digits percentages, with the highest being- did not know where to get care (8%), providers did not take my insurance (8%) and lack of transportation (8%). When the data sample was analyzed for vulnerable zip codes, statistics remained almost unchanged.

Figure 26: Proportion of Barriers to Care







Figure 27: Type of Reasons for Barriers to Care




Participants were asked to identify the type of health care needed but did not receive for themselves, their teenagers and children. Ninety-two survey respondents answered this question; 37% needed hospital services, 24% needed specialists, 20% needed prescription drugs, and 16% needed access to a community clinic, but did not receive these services. Due to a very small number of responses for children and teenagers, those statistics were not reported. Only 13 participants marked responses for children and eight for teenagers. When the data sample was analyzed for only vulnerable zip codes, results stayed about the same.



The next area the survey explored was the top health-related services needed by participants but were not received. Fifty-nine individuals responded to this question. The most needed services were transportation (39%) and CalFresh (food stamps) program (37%), followed by counseling services.



Respondents reported alternative health methods used in the last 12 months. Over 20% reported using prayer, down from 30% in the last survey. Over 18% utilized massage as a form of health care and about 12% used herbal medicines. These results are consistent with the results of previous surveys.



The needs assessment survey included a specific question about where the residents of the city of Long Beach receive health education and health-related information. The majority of the respondents received this information from their health care providers (29%) and the Internet (19%). Word of mouth (9%), health fairs (9%), TV (9%) and newspaper (7%) are the other outlets for health information.






Figure 31: Sources of Health Education and Health-Related Information

Social Issues Experienced by Young Adults, Adults and Elderly

The LBCHNA survey also examined the social issues of the city's residents and identified areas for careful consideration. When the data were analyzed for young adults, similar social issues remained as concerned areas - lack of exercise, lack of health insurance and affordable health care, air pollution and accidents. Smoking and unemployment (jobless/change) also became areas of concern in vulnerable zip codes.





Three hundred seventy two individuals responded to social issues that are experienced by adults (some with multiple social concerns). The top five social problems identified were: lack of exercise (39.8%), jobless/change (30.1%), lack of health insurance (26.3%), smoking (25.8%), and lack of affordable health care (23.4%). When the data was analyzed for vulnerable zip codes, the above social problems became even stronger in the statistics.



For elderly, the most important problem is the lack of exercise (44.4%), followed by smoking (19.2%), air pollution (18.2%) and lack of affordable health care (17.2%). Results were about the same for vulnerable zip codes.

Figure 34: Top Social Issues for Elderly






Air Pollution, 21%

Alcohol Abuse, 18%

Diabetes, Exercising, Fast Food Consumption and Pregnancy

Diabetes

Diabetes continues to be a problem in Long Beach as well as the United States. According Babey, Wolstein, Diamant, Bloom and Goldstein (2012), the obesity rate in Long Beach is 40.7%. Overweight and obesity are associated with increased risk for diabetes, cardiovascular disease, hypertension, stoke, certain types of cancer, and musculoskeletal conditions. Obesity is the second leading preventable cause of disease and death in the United States. According to the CDC (2012b), 1 in every 3 adults is obese and 1 in 5 youth between the ages of 6 and 19 is obese. Although only 17.6% of respondents reported that they were recently diagnosed with diabetes, diabetes was a common problem in all age categories surveyed. The majority of participants taking medication for diabetes received their medicine from a pharmacy (61.3%).







Figure 36: Where Participants Receive Diabates Medication

Exercise

According to the Centers for Disease Control and Prevention more than one-third of all adults do not meet the recommendations for aerobic physical activity (2012b). Eighty percent of adults and adolescents do not get enough aerobic physical activity (USDHHS, 2010e). Regular physical activity can improve health, improve cardiorespiratory and muscular fitness, decrease body fat composition, reduce symptoms of depression, and reduce risk a certain types of cancer. The Community Health Needs Assessment survey included a specific question about exercising 30 minutes a day for children, teenagers, and adults. Figure 37 shows that approximately 58% of the adults surveyed exercised at least 30 minutes a day. Surprisingly, this ratio increased to 62% for individuals who live in vulnerable zip code areas.

Figure 37: Exercise Habits of Adults



Fast Food

Americans are not consuming adequate amounts of fruits and vegetables per day, less than 22% of high school students and 24% of adults reported eating 5 or more servings of fruits and vegetables per day (CDC, 2012b). A healthy diet can reduce the risks for many health conditions including: diabetes, heart disease, high blood pressure, obesity, and certain types of cancers (USDHHS, 2012d).

Approximately sixty-percent of adults who responded to the survey acknowledged that they are fast food once a week. Twenty-nine percent of the adult respondents consumed fast food 2-3 times a week. Eleven percent of adults consumed fast food 4 or more times per week. For vulnerable zip codes these statistics were slightly higher (62% and 26%), respectively.

Fast Food Consumption - Adult

Fast Food Consumption - Adult


29%

once a week
2 - 3 times
4 - 5 times
6 or more times

Pregnancy

A couple of questions were asked regarding pregnancy; if someone in the respondent's family was currently pregnant, and if so, when did she begin to receive prenatal care. Eighty respondents answered this question with someone in their family currently pregnant (92.1%), and 47 began prenatal care within the last 3 months of pregnancy (53.4%). Interestingly, only 5.7% of the pregnant women received prenatal care in the first trimester and another 5.7% did not receive any prenatal care. Clearly this should be a concern for local hospitals and public health authorities. Although 80 individuals answered this question which provides somewhat weak results, there should be enough concern to show more efforts to reach pregnant women who are lacking prenatal care.

Figure 39: Pregnancy in the Last 12 Months



RESULTS OF THE KEY INFORMANT SURVEY

The 2012 Key Informant survey was conducted to understand the health needs of Long Beach residents and surrounding communities, as well as the barriers faced by patients accessing health services. A total of 122 of the 433 invited individuals completed the survey, for a response rate of 25%. The zip codes with the most key informant surveys included 90813 (32), 90815 (17), 90802 (9), 90803 (3), 90804 (2), 90805 (4), 90806 (9), 90807 (6), 90808 (5), and 90810 (3).

The majority of the key informants represented four groups: non-profit service organizations (24%), educational institutions (19%), hospital providers (17%), and public health employee (15%). The rest of the participating key informants and their role are in Figure 40. Key informants also reported about special target populations they represented as follows: general community (42%), the Hispanic or Latino community (15%), the Asian/Pacific Islander community (10%), the non-Hispanic/White community (5%), and Black/African American/African and LGBT communities (4% each).






Figure 40: Background of Key Informants





Key informants were asked five major questions to provide their opinion for children, teenagers, young adults, adults and elderly. These five areas are: (1) health problems, (2) reasons for individuals not to receive needed care, (3) lack of health care providers in their service area, (4) lack of health related services (such as enabling services), and (5) social issues experienced by all groups. The main purpose of this part of the study is to identify the problem areas highlighted above and hopefully to support the findings of the health needs assessment.

<u>Top Health Problems in Long Beach</u>

The top five health issues for young adults were depression, diabetes, obesity, mental health and high blood pressure. The top five health issues in adults were diabetes, high blood pressure, depression, mental health and obesity. For elderly, the top five health issues were diabetes, high blood pressure, depression, heart disease and mental health.





Figure 43 continued.



Top Reasons for Not Receiving Medical Care

In the next question, key informants reported top reasons why individuals in their community were not receiving needed medical care for each of the age categories (Young Adult, Adult and Elderly). The top three reasons young adults and adults were not receiving care included no health insurance coverage, no vision insurance coverage and did not know where to get care. The top reason the elderly were not receiving care was due to lack of transportation.

Figure 44: Top Reasons for Not Receiving Medical Care






Figure 45 continued.





Lack of Health-Related Services

Key informants were also asked to identify the major problems in health related services in their community for each age category. In the community, young adults and adult services that were lacking included health education, transportation and counseling. The services that were lacking for the elderly included adult day care, transportation and assisted living apartments.

Figure 46: Lack of Health Related Services for All Age Categories








<u>Social Issues in the City of Long Beach</u>

In addition, the top social issues by age group in the greater Long Beach area were identified by the key informants. The top five social issues for young adults were poor nutrition, jobless/change, lack of health insurance, lack of affordable health care and lack of exercise. The top five social issues for adults were jobless/change, lack of health insurance, lack of affordable health care, poor nutrition and lack of exercise. The top five social issues in the elderly were poor nutrition, lack of exercise, air pollution, lack of affordable health care and homelessness.

Social Issues - Young Adult Violence Air Pollution Smoking Drug Abuse Alcohol Abuse Lack of Exercise Lack of Affordable Health Care Lack of Health Insurance Jobless/Change **Poor Nutrition** 10 20 30 40 50 60 70 Percent Social Issues - Adult Air Pollution Smoking Doestic Violence Alcohol Abuse Homelessness Lack of Exercise Poor Nutrition Lack of Affordable Health Care Lack of Health Insurance Jobless/Change 10 20 30 40 50 60 70 80 Percent

Figure 47: Social Issues for All Age Categories

Figure 48 continued.




Lack of Health Care Providers in the City of Long Beach

The top health care provider lacking for young adults, adults and the elderly was a behavioral/mental health provider (about 80%). In addition, it was reported that young adults and adults needed more or easier access to family doctors/primary care, specialty doctors and dentists (more than 40%).

Lack of Health Care Providers for Young Adults Urgent Care Eye Doctor Prescription Drugs **Specialty Doctor** Behavioral/Mental Health Provider 0 20 40 60 80 100 Percent

Figure 49: Lack of Health Care Providers for All Age Categories

Figure 50 continued.



<u>Places to Receive Prescription Drugs, Health Education and Alternative Health Methods</u>

Key informants were asked report where the community members fill their prescription drugs and receive medicine; where they received health education and health information, and what type of alternative health care the community may be using. The majority of the individuals received their medicine at pharmacy (32%) and community clinics (24), followed by hospitals (12%) and health centers (10%). According to key informants, the community members received health education and health information mostly from health fairs (19%), health care provider (18%), word of mouth (18) and faith based organizations (13%). Finally, the community's top three choices for alternative medicine were herbal medicine (16%), prayer (10%) and massages (8%). These results are consistent with those received from the health needs assessment survey.

Figure 51: Where the Community Members Receive Medicine




Figure 52: Where the Community Members Receive Health Education





Figure 53: Use of Alternative Health Methods



SPECIFIC FINDINGS FOR COMMUNITY HOSPITAL LONG BEACH

Results of the Long Beach Health Needs Assessment represent all zip codes in the catchment areas of four hospitals-St. Mary Medical Center (SMMC), Long Beach Memorial, Community Hospital Long Beach and Miller Children's Hospital Long Beach. The last three hospitals are part of the Memorial Care Health System serving the same geographic market with the same zip codes.

In this section, we analyzed the LBHNA data set for only Community Hospital Long Beach, which included 674 valid complete questionnaires for nineteen zip codes. These zip codes and their frequencies are: 90802 (102), 90803 (38), 90804 (59), 90805 (68), 90806 (68), 90807 (47), 90808 (35), 90810 (35), 90813 (134), 90814 (26), and 90815 (62). Overall there is no observable difference between the results of the complete set and those of the Community Hospital Long Beach (CHLB). In most cases, results from CHLB and the current study fluctuated by 1%-2% from their original values. In several cases, especially for young adults, the number of observations was too limited to report meaningful changes that are reliable. Regardless, there are a few changes in the results to mention.

In Community Hospital Long Beach catchment area, only 34.7% of the adult respondents had job-based insurance coverage (42.5% obtained from the full sample), and the proportion of individuals with Medicare and Medicaid coverage increased to 19.9% and 17.2%, respectively; about 2 – 4% percent higher than the original results. Private-pay and job-based coverage declined to 10.7% and 44.1%,

respectively. On the other hand, Medicare, Medicaid, Healthy Families and Uninsured population percentages went up by 2%-4% with the highest jump on Medicaid percentage by 7.8% (see Figure 23).

Figure 43 revealed information on the participants and their family when they needed medical care but did not receive it. According to respondents, 62% in the CHLB catchment area said they did not have insurance and 26.6% indicated that copayment was too high preventing them from obtaining medical care. These are slightly higher figures than those in the overall results; however, this question received only 114 responses and statistics should be cautiously interpreted. The CHLB respondents also had a stronger complaint about the lack of family doctors (57.1% versus 52.2%) but the need for hospital care went down from 37% to 33.3%. The next difference was related to adults in the CHLB market eating less fast food per week. The proportion of adults eating 2-3 times fast food per week declined from 29.4%, to 24.2%, which suggests that there is more available choice in types of food services and that Community Hospital Long Beach and other public health organizations in the area have effective practices to lower this percentage.

Table 3 shows the results of institution-based data analysis of health issues for Community Hospital Long Beach and the full data set. Proportions computed for CHLB are very close with those computed for the full data set, which represents the catchment area of all hospitals. Obesity, high blood pressure, diabetes, anxiety and asthma were the only health problems with noteworthy difference in computed statistics; about 2-4%. The largest difference is in the proportion of obesity, about 4%, which suggests that the efforts of local hospitals have made a difference.

Table 3: Comparison of Adult Health Issues for CHLB

	Community	Overall Survey
ADULT HEALTH ISSUES	Hospital Long	Results
	Beach	
ADHD	2.6%	3.2%
Asthma	20.1%	17.6%
Anxiety	25.0%	22.1%
Arthritis	23.4%	21.5%
Autism	.6%	.8%
Blood Disorders	5.2%	4.1%
Bone Loss (Osteoporosis)	4.2%	3.4%
Cancer	7.5%	6.5%
COPD	3.6%	3.0%
Dementias including Alzheimer's	.3%	.2%
Dental disease/decay	15.3%	13.6%
Depression	21.8%	21.5%
Diabetes	23.4%	25.6%
Eating Disorders	5.2%	3.9%
High Blood Pressure	43.2%	46.2%
Hearing Disorders	6.8%	6.1%
Heart Disease	7.8%	7.5%
HIV/AIDS	10.4%	8.9%
Kidney Diseases	3.6%	4.7%
Mental Health	9.7%	8.1%
Obesity	18.5%	22.3%
Physical Injuries	10.4%	11.4%
STDs	2.9%	2.4%
Stroke	3.2%	3.2%

Table 4 reveals the comparison data of health issues for Community Hospital Long Beach and the full data set for elderly population. The largest discrepancy is in obesity percentage. It appears that the respondents in the CHLB catchment area experienced significantly less obesity cases than those respondents in the catchment area of all hospitals (8.8% vs. 12.7%). About 4% decrease in the CHLB catchment area is a good sign for the hospital and their efforts to fight against obesity amongst the elderly. A few other categories showed changes within 2-3% range; anxiety, arthritis, heart disease and diabetes. Once again the number of respondents was too small for most categories here to make meaningful comparisons.

Table 4: Comparison of Elderly Health Issues for CHLB

	Community	Overall Survey
ELDERLY HEALTH ISSUES	Hospital Long	Results
	Beach	
ADHD	.6%	.4%
Asthma	6.9%	7.8%
Anxiety	8.8%	6.9%
Arthritis	39.6%	35.5%
Blood Disorders	3.8%	3.3%
Bone Loss (Osteoporosis)	15.1%	15.1%
Cancer	18.2%	17.1%
COPD	3.1%	4.1%
Dementias including Alzheimer's	7.5%	7.3%
Dental disease/decay	9.4%	8.2%
Depression	15.1%	14.3%
Diabetes	25.8%	29.4%
Eating Disorders	1.3%	1.2%
High Blood Pressure	52.2%	52.2%
Hearing Disorders	11.9%	12.2%
Heart Disease	12.6%	14.7%
HIV/AIDS	1.3%	.8%
Kidney Disease	1.9%	2.4%
Mental Health	3.8%	3.3%
Obesity	8.8%	12.7%
Physical Injuries	6.3%	4.9%
Stroke	4.4%	4.1%

Next, the data specific to CHLB are analyzed for the social issues of the adults, and results are reported in Table 5 along with those of the overall data. Unfortunately there were not a sufficient number of respondents for young adults and elderly, hence, report results for adults in Table 5. Once again, the statistics computed for CHLB for this question are very similar to those obtained from the complete data set. Minor differences were in the areas of air pollution (15.9% vs. 19.2%), alcohol abuse (12.6% vs. 15.6%), jobless/change (30.1% vs. 35.3%), lack of affordable health care (23.4% vs. 27.2%), lack of health insurance (26.3% vs. 29.9%) and lack of exercise (39.8% vs. 33.5%). These minor differences were within 3%-5% of the overall results.

Table 5: Comparison of Social Issues of Adults for CHLB

ADULT SOCIAL ISSUES	Community Hospital Long	Overall Survey Results
	Beach	
Accidents	15.2%	14.8%
Air Pollution	19.2%	15.9%
Alcohol Abuse	15.6%	12.6%
Bullying	.9%	.5%
Child Abuse	1.3%	1.1%
Domestic Violence	4.0%	3.2%
Drug Abuse	8.5%	7.3%
Gang Activities	.9%	1.6%
Gender Discrimination	3.6%	2.4%
Homelessness	8.5%	8.9%
Incarceration	3.6%	3.0%
Jobless/change	35.3%	30.1%
Lack of Affordable Health Care	27.2%	23.4%
Lack of Health Insurance	29.9%	26.3%
Lack of Exercise	33.5%	39.8%
Poor Nutrition	16.1%	16.7%
Smoking	27.7%	25.8%
Sexual Assault (rape)	2.2%	1.6%
Teenage Pregnancy	.9%	.5%
Tobacco Use	16.5%	15.1%
Unplanned Pregnancy	2.7%	1.6%
Violence	3.1%	2.7%

Last, the top 25 Diagnosis Related Groups (DRGs) are reported for Community Hospital Long Beach in Table 6 and linked the top 25 DRGs to the study findings. As can be seen in this table, CHLB is serving a large population with mental health problems (DRG 885, 881). In addition, CHLB discharges a number of patients with heart conditions, pneumonia and cardiac cases. The CHNA showed that mental health care is an issue in the city of Long Beach, and CHLB could be specialized in this area to improve the population's health. CHLB could also emphasize outreach activities and health education efforts in the areas of heart diseases, obesity, and lack of exercising to reduce heart-related cases.

Table 6: Community Hospital Long Beach Top 25 DRGs

RANKINGS	DRG#	DESCRIPTION	CASES	LOS
1	885	PSYCHOSES	1,288	6.5
2	313	CHEST PAIN	186	1.5
3	871	SEPTICEMIA OR SEVERE SEPSIS W/O MV 96+ HOURS W MCC	165	5.6
4	392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS W/O MCC	107	2.3
5	194	SIMPLE PNEUMONIA & PLEURISY W CC	71	4.1
6	641	NUTRITIONAL & MISC METABOLIC DISORDERS W/O MCC	71	2.4
7	581	OTHER SKIN, SUBCUT TISS & BREAST PROC W/O CC/MCC	61	1.3
8	812	RED BLOOD CELL DISORDERS W/O MCC	59	3.2
9	190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE W MCC	58	4.7
10	312	SYNCOPE & COLLAPSE	56	1.8
11	192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE W/O CC/MCC	53	2.9
12	690	KIDNEY & URINARY TRACT INFECTIONS W/O MCC	49	2.8
13	208	RESPIRATORY SYSTEM DIAGNOSIS W VENTILATOR SUPPORT <96 HOURS	47	5.1
14	603	CELLULITIS W/O MCC	45	3.7
15	918	POISONING & TOXIC EFFECTS OF DRUGS W/O MCC	43	1.9
16	870	SEPTICEMIA OR SEVERE SEPSIS W MV 96+ HOURS	42	10.6
17	881	DEPRESSIVE NEUROSES	42	2.7
18	195	SIMPLE PNEUMONIA & PLEURISY W/O CC/MCC	41	2.9
19	069	TRANSIENT ISCHEMIA	40	2.6
20	310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W/O CC/MCC	37	1.8
21	292	HEART FAILURE & SHOCK W CC	35	4.5
22	193	SIMPLE PNEUMONIA & PLEURISY W MCC	34	6.1
23	309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W CC	34	2.9
24	872	SEPTICEMIA OR SEVERE SEPSIS W/O MV 96+ HOURS W/O MCC	34	5.0
25	378	G.I. HEMORRHAGE W CC	33	3.6

Reviewing 2011 hospital discharge data from the Office of Statewide Health Planning and Development (OSHPD) and the top diagnosis codes for acute care admissions for adults and children at Community Hospital Long Beach (CHLB), are listed in table 7

Table 7: Top Diagnosis Codes for Acute Care Admissions

OSHPD 2011 - LBMMC	CHLB	
		% of
Principal Diagnosis Groups	# cases	admissions
All pregnancies	15	0.40%
Birth Defects	1	0%
Blood/Blood-forming		
Organs	63	1.50%
Circulatory	455	11%
Digestive	354	8.60%
Endocrine/Metabolism	172	4.20%
Genitourinary	136	3.30%
Infections	284	6.90%
Injuries/drugs/complications	249	6%
Musculoskeletal	49	1.20%
Neoplasms	49	1.20%
Nervous & Sensory Systems	89	2.20%
Other	357	8.63%
Psychoses & Neurosis	1389	33.60%
Respiratory	427	10.30%
Skin Disorders	46	1.10%
Perinatal Disorders		
Births		
Total	4135	

Community Hospital Long Beach top three principal diagnoses were related to mental health, respiratory and digestive disorders. The top three principal causes of injuries resulting in hospitalization were accidental falls, adverse effects of drugs and self-inflicted.

CONCLUSION

This report includes two sets of results and the findings are consistent throughout the study. The community health needs assessment results highlight the major health priorities, health system challenges, perceived gaps in the health services availability in the community, and barriers to health services. Almost all results were reported separately for young adults, adults and elderly. The key informant survey was used to support the findings from the community needs assessment, and also to search for new emerging issues that were not clearly visible and/or identifiable to hospitals and community partners.

The report provides an extensive list of findings from 1,066 community health needs assessment surveys and another 122 key informant surveys received. All health problems, issues, gaps and health system irregularities are important, but the community resources are limited and must be prioritized. The methodology used in this study was descriptive and did not rely on inferential statistics to make results generalizable for the entire population of the greater Long Beach area. It focused on hard-to-reach populations to understand the needs of these populations who live in the certain pockets of the city.

Community Hospital Long Beach is a leading mental health care provider in the area, serving a very large population in nine zip codes. CHLB also provides a wide range of care in the areas of sepsis, heart conditions, pneumonia, and many others. When we analyzed the LBHNA data set for only Community Hospital Long Beach to identify specific health problems and health related needs of the CHLB catchments area, descriptive statistics (%) did not differ meaningfully from overall study results. The only observed difference was obesity, which was reported about 4% less by the respondents living in the catchment areas of CHLB.

Specific Findings and Recommendations

Health Priorities

The community needs assessment and the key informant surveys results reveal consistent results for hospitals and the community organizations to focus. Table 8 consolidated the results of both surveys and focused on only the top few health issues/problems mentioned in both surveys by age groups. Asterisks were used for only the health needs assessment and a plus sign was used for key informant survey results. Much stronger results were represented by three or two asterisks, and similarly three or two plus signs used for key informant survey results.

The top health problem for young adults was Asthma (PRIORITY #1). Obesity (PRIORITY #2) surfaced as a major problem for young adults and adults in the health needs assessment, and was supported by key informants for all age categories. The community needs assessment results were somewhat weaker than the key informant results but were consistently pointed out by all parties involved in the study. Another major health problem is mental health (PRIORITY #3) for young adults, adults and the elderly population. The LBCHNA results strongly supported programs addressing anxiety and depression problems for young adults and adults. The key informant survey results supported similar findings and added mental health as a major problem for young adults and adults. Diabetes (PRIORITY #4) was also found to be a major issue with a high percentage in the key informant survey for young adults and

adults. For the elderly, depression and mental health problems along with diabetes appear to be important health priorities. Two other important health issues found in the community needs assessment and key informant surveys for elderly were: High Blood Pressure and Arthritis (PRIORITY #5). More information is available in Table 8 below.

Table 8: Consolidated Results of Health Needs Assessment and Key Informant Survey - Health Priorities

Potential	Young Adults		Adults		Elderly	Elderly	
Priorities							
Asthma	**	++	*				
Dental Disease	*	++	*				
Obesity	*	+++	**	++	*		
High Blood	*	++	***	+++	***	+++	
pressure							
Anxiety	**	++	**				
Depression	**	+++	**	+++	*	+++	
ADHD	*						
Arthritis			**		***	++	
Diabetes		+++	**	+++	**	+++	
Physical Injur.	*						
Bone Loss					*		
Cancer					*		
Hearing Loss					*		
Heart Disease					*	++	
Mental Health		+++		++			
STD		++					

^{* =} Community Health Needs Assessment

Barriers to Care (ACCESS)

The Long Beach Community Health Survey results showed that 13.6% of the respondents needed care but did not get care. This ratio increased to 17% when only vulnerable zip codes were included in the analysis. The majority of participants (60%) reported that they did not receive health care needed due to lack of insurance and another 23% stated co-payment being too high. A similar question was answered by key informants of the local community for young adults, adults and elderly. The top three reasons for young adults and adults were no health insurance coverage, no vision insurance coverage and did not know where to get care. The top reason for elderly not receiving care was due to lack of transportation.

Therefore, PRIORITY # 1 and PRIORITY #2 in this area should focus on the lack of insurance, and dental and vision coverage in order to provide regular access to medical care. Health education and community outreach activities should be PRIORITY #3 to educate the community members to access the health care system (at least the safety net providers). PRIORITY #4 should go to providing transportation services to elderly and adults; at least to subsidize this valuable service. It is a necessary condition for people to reach the health care provider to access the health care system.

Participants and key informants also identified the type of health care services that community members needed, but were not received. For adults, fifty-two percent of the survey respondents checked family doctor and another 37% marked hospital care as a needed service provider. Specialty doctor and prescription drugs followed the top two responses by 24% and 20%, respectively. According

^{+ =} Key Informant Survey

to the key informants, children were lacking specialty doctor, family doctor/primary care doctor and eye doctor. Key informants had an overwhelming consensus on the health care needs of teenagers, young adults, adults and the elderly.

According to both survey results behavioral/mental health providers were desperately needed in the community (~80%). In addition, young adults and adults need more and/or easier access to family doctors/primary care, specialty doctors and dentists (over 40% response). In conclusion, PRIORITY #1 and PRIORITY #2 in this section go to behavioral health/mental health and family doctors/primary care. PRIORITY #3 should be assigned to specialty care; however, an additional analysis of this particular data did not suggest any Specific type of specialty care needed. Dental care and prescription drugs should be PRIORITY #4 and #5. Dental care has been moderately checked by key informants for all age categories except for children.

Social Issues (SERVICE GAPS)

Both the community needs assessment and key informant surveys examined the social issues of the city's residents and identified areas for improvement. Results are consistent in both surveys for many of the social issues. Table 9 highlights the top social issues identified by both survey respondents and they are prioritized for public health officials and community leaders.

The most important social issue appeared to be lack of exercise in the community, which was supported by the survey respondents across the board. Clearly, PRIORITY #1 involves the lack of community exercise programs. The second major social issue (perhaps as important as lack of exercise) is the poor nutrition and/or lack of food support program in the community. This appears to be a major problem for all age categories. PRIORITY #2 is to improve nutrition across all age groups and increase food support programs. PRIORITY #3 is lack of health insurance and affordable health care combined. These were not new issues to community activists, hospitals, and public health officials. Earlier in the study, lack of insurance was also identified as one of the priority areas as well. PRIORITY #4 is air pollution and PRIORITY #5 is drug and alcohol programs, which have a moderate show in the surveys. Another area is joblessness in the community, which may be attributed to the weak economy.

Table 9: Consolidated Results of Health Needs Assessment and Key Informant Survey - Social Issues

Potential	Young Adults		Adults		Elderl	Elderly	
Priorities							
Lack of Exercise	***	++	***	++	***	+++	
Bullying							
Air pollution	**		*		*	+++	
Lack of	**	++	**	+++	*	+++	
Affordable C.							
Lack of Insurance	**	+++	**	+++		+	
Poor Nutrition	*	+++	*	++	*	+++	
Accidents	*		*		*		
Child Abuse							
Teenage Preg.							
Gang Activities							
Alcohol Abuse	*	++	*	+	*		
Drug Abuse	*	++					
Jobless/change	**	+++	***	+++			
Smoking/Tobacco	*	++	**		*	+	
Homelessness				+			

^{* =} Community Health Needs Assessment

Last but not least, the study explored the needs for health related services in the community. Both surveys explored the issue and results were somewhat consistent in both surveys. According to the community health survey, the most needed services were transportation and CalFresh (food stamps) program, followed by counseling services, assisted living and after school programs.

Key informants also identified the top needs of the community for various age groups. The top services for children included recreation, before and after school programs and transportation services. The top services lacking for teenagers included before and after school programs, health education and recreation. For young adults and adults, health education, transportation and counseling were listed. Services that were lacking for the elderly included adult day care, transportation and assisted living apartments. Based upon the various needs reported, the priorities should be: 1) transportation, 2) CalFresh (food stamps), 3) before and after school programs, 4) counseling and 5) assisted living.

Community Assets and Resources

The Long Beach Community Health Needs Assessment references hospitals and clinics located near the hospital as well as, the links to sources for additional health care facilities and community resources.

Local area hospitals include:

Long Beach Memorial
Community Hospital Long Beach
Miller Children's Hospital Long Beach
Pacific Hospital
Los Alamitos Hospital
St. Mary Medical Center
Torrance Memorial
Veterans Administration Hospital

^{+ =} Key Informant Survey

Local Area Community Clinics include:

Alta Med Health Services Corp.
Harbor Community Clinic
The Children's Clinic (multiple locations in greater Long Beach)
Westside Neighborhood Clinic
Wilmington Family Health Center
Additional sites can be found at www.healthcity.org/services

The City of Long Beach is fortunate to have its own health jurisdiction, one of only three city-based health departments in the state of California. The City of Long Beach Department of Health and Human Services asset inventory of community agencies, addressing community health priorities will be used to provide a comprehensive and up-to-date list. This provides an excellent connection to community resources related to health and healthcare within the greater Long Beach community http://www.longbeach.gov/health.

<u>Community Hospital Long Beach Identification and Prioritization of Health</u> <u>Needs</u>

Utilizing information from the primary and secondary data collection, community health needs were identified and prioritized through an iterative process conducted with the community benefit oversight committee (CBOC) on February 7, 2013 and presented to the strategy committee and the hospital board representing LBM, MCHLB and CHLB hospitals for final approval, which was received on March 26, 2013. The health needs were identified from issues supported by the primary and secondary data sources gathered for the Long Beach Community Health Needs Assessment. The needs were indicated by community survey responses, key informants and secondary data sources. The needs were given a value based on the size and seriousness of the problem (as indicated by survey respondents, key informants and prevalence and incidence within the community) and are displayed in the tables below.

Table 10: Value Based Assessment of the Identified Adult Health Needs

Identified Need	Young Adults (19-25)	Adult (26-64)	Elderly (age 65+)
Asthma	4	1	0
Dental Disease	3	1	0
Obesity	4	4	1
High Blood pressure	3	6	6
Mental Health (incl. anxiety,	13	9	4
depression, ADHD)			
Arthritis	0	2	5
Diabetes	3	5	5
Physical Injury	1	0	0
Bone Loss	0	0	1
Cancer	0	0	1
Hearing Loss	0	0	1
Heart Disease	0	0	3
STD	2	0	0

Table 11: Health Needs with a Score of Four or Higher

Adult priorities
Obesity
Diabetes
High Blood Pressure
Asthma
Mental Health

These health needs are supported by secondary data analysis and the community forum (conducted in August, 2012), which identified the same priorities. These health priorities fall into two broader categories of chronic disease and mental health.

Based on the community health needs assessment the hospital board approved the following priorities:

Table 12: Adult Health Priorities

Adult Priorities	
Chronic Disease	
Mental Health	
Obesity/Overweight	
Access to Care	
Preventative Care/Prevention	

The CBOC developed an implementation strategy to address these needs at their 2/7/2013 meeting. The implementation strategy will be attached to the IRS form 990 schedule H per the PPACA requirements.

BIBLIOGRAPHY

- Baby, S. H., Wolstein, J., Diamant, A. L., Bloom, A., & Goldstein, H. (2012). Overweight and obesity among children by California cities 2010. *UCLA Center for Health Policy Research and California Center for Public Health Advocacy.*
- Bilton, M. (2011) Community health needs assessment. Trustee, 64 (9), 21-24.
- California Department of Education (2012). Long Beach Unified District, Language Group Data Districtwide for 2010-2011. Retrieved from http://dq.cde.ca.gov/dataquest/lc/DistrictLC.aspx?cSelect=1964725--1964725%2D%2DLONG+BEACH+UNIFIED&cYear=2010-11
- Centers for Disease Control and Prevention (2012a). Community engagement: Definitions and organizing concepts from the literature. Retrieved from http://www.cdc.gov/phppo/pce/part1.htm
- Centers for Disease Control and Prevention (2012b). Chronic diseases and prevention. Retrieved from http://www.cdc.gov/chronicdisease/overview/index.htm
- Clegg, A. & Doherty, B. (2001). Health needs assessment in intermediate care of elderly people. *British Journal of Nursing*, *10* (19), 1269-1274.
- Curtis, D. C. (2002). Evaluation of community health assessment in Kansas. *Journal of Public Health Management Practice*, 8 (4), 20-25.
- De Navas-Walt, C., Proctor, B. D., & Smith, J. C. (2011). Income, poverty, and health insurance coverage in the United States: 2010. *U. S. Census Bureau*.
- Fitzgerald, N. (2010) Acculturation, socioeconomic status, and health among Hispanics. *NAPA Bulletin,* 34, 28-46.
- Holt, J.K. (2008). Community profiling as part of a health needs assessment. *Nursing Standard, 22* (18), 51.56.
- Lavarreda, S. A., Chia, Y. J., Cabeza, L. & Roby, D. (2010) California's uninsured by County. *UCLA Center For Health Policy Research*. Health Policy Fact Sheet. Retrieved from: http://www.healthpolicy.ucla.edu/pubs/Publication.aspx?pubID=422
- Lundeen, S. P. (1992). Health needs of a suburban community: A nursing assessment approach. *Journal of Community Health Nursing, 9* (4), 235-244.
- McKenzie, J. F., Pinger, R.R., & Kotecki, J. E. (2008). Community organizing/Building and health promotion programming 120-144. *In An Introduction to Community Health (6th ed)*. Boston: Jones & Bartlett Publishers.
- Principe, K. Adams, E. K., Maynard, J., & Becker, E. R. (2012). The impact of the individual mandate and internal revenue service form 990 schedule H on community benefits from nonprofit hospitals. *American Journal of Public Health*, 102 (2), 229-237.

- Sharma, A., Lanum, M., & Suarez-Balcazar, Y. (2000). A community needs assessment guide. *Center for Urban Research and Learning and the Department of Psychology*. Loyola University, Chicago.
- Sommerville, M. H., Mueller, C. H., Boddie-Willis, C. L., Folkemer, D. C., & Grossman, E. R. (2012). Hospital community benefits after the ACA: Partnerships for community health improvement. *The Hilltop Institute*, 1-20.
- State of California, Employment Development Department, (May 2012). Retrieved from: http://www.edd.ca.gov/About_EDD/Quick_Statistics_Information_by_County.htm
- United States Census Bureau (2011a). 2010 American Community Survey. *Marital Status* Retrieved from http://factfinder2.census.gov/faces/tableservices/jsf/pages/productview
 .xhtml?pid=ACS_10_1YR_S1201&prodType=table
- United States Census Bureau (2011a). 2006- 2010 American Community Survey 5-year Estimates. *Educational Attainment* . Retrieved from http://factfinder2.census.gov/faces/tableservices/jsf/pages/productview.xhtml?pid=ACS_10_5YR_S1501&prodType=table
- United States Department of Health and Human Services (2010a). Healthy People 2020: The Road Ahead. *About healthy people*. Retrieved from http://www.healthypeople. gov/2020/about/default.aspx
- United States Department of Health and Human Services (2010b). Healthy People 2020: The Road Ahead. *Access to health services*. Retrieved from http://www.healthypeople.gov/2020/topicsobjectives2020/overview.aspx?topicid=1
- United States Department of Health and Human Services (2010c). Healthy People 2020: The Road Ahead. *Educational and community based programs*. Retrieved from http://www.healthypeople.gov/2020/topicsobjectives2020/overview.aspx?topicid=11
- United States Department of Health and Human Services (2010d). Healthy People 2020: The Road Ahead. *Nutrition and weight status*. Retrieved from http://www.healthypeople.gov/2020/topicsobjectives2020/overview.aspx?topicid=29
- United States Department of Health and Human Services (2010e). Healthy People 2020: The Road Ahead. *Physical activity*. Retrieved from http://www.healthypeople.gov/2020/topicsobjectives2020/overview.aspx?topicid=33
- United States Department of Health and Human Services (2011). Press release. National quality strategy will provide better health, quality care for Americans. Retrieved from: http://www.hhs.gov/news/press/2011pres/03/20110321a.html
- University of Wisconsin Population Health Institute & Robert Wood Johnson Foundation (2012). County health rankings & roadmaps. A healthier nation, county by county. Los Angeles County. Retrieved from http://www.countyhealthrankings.org/#app/california/2012/los-angeles/county/1/overall

Appendix A: PARTICIPATING KEY INFORMANTS

Name: - Debbie Acevedo

Title: - Supervisor

Agency: - Low Vision Center Service area zip code: - 90813

Name: - Luis Agredano Title: - Program specialist

Agency: - Cambodian association of America

Service area zip code: - 90806

Name: - Harald Arndt MD

Title: - Emergency Dept Medical Director Agency: Emergency Physicians Medical

Association of Long Beach Service area zip code: - 90274

Name: - Annabel Barajas Title: - Assistant Coordinator

Agency: - Long Beach Health Department

Service area zip code: - 90813,90810,90805,90807

Name: - Cheryl Barrit

Title: - Prevention Services Officer

Agency: - City of Long Beach Department of

Health & Human Services

Service area zip code: - City-wide

Name: - Sandra L Bazant Title: - Senior Services Coor.

Agency: - St. Mary Medical Center Service area zip code: - 90813

Name: - Roz Boger

Title: - Community Services Supervisor

Agency: - City of Long Beach Service area zip code: - 90802

Name: - Heidi Burkey

Title: - Coordinator of the Health Resource

Center

Agency: - CSULB Student Health Services

Service area zip code: - 90840

Name: - Tiffany Cantrell Title: - Director of Grants

Agency: - St. Mary Medical Center Foundation Service area zip code: - 90813, 90807, 90815, 90808, 90805, 90810, 90744, 90716, 90715,

90713, 90712

Name: - Laura Cargill

Title: - Director Case Management and Social

Services

Agency: - DignityHealth Service area zip code: - 90813

Name: - Paul Carter Title: - Attorney Agency: - Self

Service area zip code: - 90802

Name: - Ladine Chan

Title: - Program Coordinator

Agency: - Families in Good Health/Educated Men with Meaningful Messages (EM3)

Program

Service area zip code: - 90813

Name: - Maribel Chavez Title: - Key Family Contact Agency: - For The Child Service area zip code: - 90807

Name: - Chester Choi

Title: - MD

Agency: - St. Mary Medical Center Service area zip code: - 90813

Name: - Eleanor Cochran

Title: - Senior Director Physician Strategic

Business Development

Agency: - St Mary Medical Center Service area zip code: - 90813

Name: - Patricia Costales, LCSW

Title: - Executive Director Agency: - The Guidance Center

Service area zip code: - All Greater Long

Beach

Name: - Maria Green

Name: - Andrew Burg, MD

Title: - Chief Medical Officer Agency: - St Mary Med Ctr Service area zip code: - 92813

Name: - Gary DeLong Title: - Councilmember

Agency: - City of Long Beach Service area zip code: - 90815

Name: - Robin Diaz

Title: - Access Care Director Agency: - St Mary Medical Center Service area zip code: - 90813

Name: - Pamela Fair

Title: - Director of Critical Care Agency: - St Mary Medical Center Service area zip code: - 90813

Name: - Dennis Fisher

Title: - Director

Agency: - Center for Behavioral Research and

Services

Service area zip code: - 90813

Name: - Lani Garcia

Title: - Rehab Unit Director

Agency: - St. Mary Medical Center Service area zip code: - 90813

Name: - Lorena Garcia

Title: - Asthma community health worker

Agency: - Children's center Service area zip code: - 90806

Name: - Sister Gerard Earls Title: - VP Mission Integration Agency: - St. Mary Medical Center Service area zip code: - 90813

Name: - Steve Gerhardt Title: - Senior Planner

Agency: - Long Beach Development Services

Service area zip code: - 90802

Name: - Lesbia De La Feente

Title: - Adminisrtrator

Agency: - Un Mundo de Amigos Service area zip code: - 90813 Name: - Krikor Jansezian, Ph.D.

Title: - Administrator

Agency: - Molina healthcare Service area zip code: - 90802

Name: - Michael Gomez

Title: - Vice President, Business Development

Agency: - St. Mary Medical Center Service area zip code: - 90813

Name: - Teresa Gonzalez

Title: - Specialist

Agency: - City of Long Beach Neighborhood

Services

Service area zip code: - 90802

Name: - Rita Goshert

Title: - Clinical Operations Manager, Child

Life

Agency: - Miller Children's Hospital Long

Beach

Service area zip code: - 90806

Name: - Antionette Greer Title: - Executive Director

Agency: - My Sister My Friend Breast Cancer

Support

Service area zip code: - 90803

Name: - Darlene Helm

Service area zip code: - 92649

Name: - Bonnie Henson

Title: Manager clinical Operations, Perinatal

Education

Agency: - Miller Children's Hospital Long

Beach Women's Hospital

Service area zip code: - 90801-90806

Name: - Lillian Herrera Title: - Office Manager

Agency: - St. Mary Medical Center Service area zip code: - 90813

Name: - Chan Hopson Title: - Executive Director

Agency: - Khmer Parent Association

Service area zip code: - 90813

Name: - Cailine Kim

Title: - Voc Rehab Case Manager

Agency: - Community Hospital Long Beach

Service area zip code: - 90804

Name: - Diane Johnson

Title: - Director/Commissioner

Agency: - RSVP & Mayors Senior Citizen

Advisory Commission

Service area zip code: - 90815-1734

Name: - Michael Johnson

Title: - Manager, Support Services Agency: - City of Long Beach Health

Department

Service area zip code: - 90815

Name: - Nancy Johnson

Title: - Director

Agency: - St. Mary LB

Service area zip code: - 90813

Name: - Daa'iyah Jordan

Title: - Marketing/Editorial Manager Agency: - St. Mary Medical Center Service area zip code: - 90813

Name: - Cindy Jovel

Title: - Community Work Incentives

Coordinator

Agency: - Human Ptential Consultants

Service area zip code: - 90746

Name: - Sabrina Junkin

Title: - Community Services Coordinator

Agency: - City of Lakewood

Service area zip code: - 90712, 90713, 90715

Name: - Rosa Kelson

Title: - Director, Community Mission Agency: - American Cancer Society

Phone: - (562)437-0791 (option 3) Ext 224 Service area zip code: Greater Long Beach

Name: - Pat Kennedy Title: - Exec. Dir.

Agency: - Greater Long Beach Interfaith

Community Organization Service area zip code: - 90805

Name: - Judeth Luong

Title: - Program Coordinator - CAARE,

ALSAA, Healthy Homes

Agency: - VA Long Beach Healthcare System

Service area zip code: - 90822

Name: - Patti LaPlace

Title: - Mental Health Coordinator

Agency: - City of Long Beach, Department of

Health and Human Services Service area zip code: - 90813

Name: - Elsie Larriva Title: - Center Director

Agency: - County of Los Angeles Service area zip code: - 90731

Name: - Ann Lee

Title: - Clinical Psychologist II

Agency: - Los Angeles County Department of

Mental Health

Service area zip code: - 90802

Name: - Val Lerch Title: - Sr. Field Rep.

Agency: - Congresswoman Laura Richardson

Service area zip code: - 90805

Name: - Lillian Lew

Title: - Director

Agency: - Families in Good Health

Service area zip code: - All of Long Beach

Name: - Ramona Locsin

Title: - Early Head Start Manager

Agency: - Long Beach Unified School District

Service area zip code: - citywide

Name: - Luis Lozano

Title: - Executive Director

Agency: - The Beacon House Association of

San Pedro

Service area zip code: - 90731

Name: - Stela Lugo Title: - Case analyst

Agency: - Fair housing foundation

Service area zip code: - 90807

Name: - Ismael Morales

Title: - Director of Health Services Agency: - The Center Long Beach Agency: - City of Long Beach Department of

Health and Human Services Service area zip code: - citywide

Name: - Anthony Ly

Title: - Program Coordinator

Agency: - Long Beach Dept of Health and

Human Services

Service area zip code: - All zip pertaining to

Long Beach

Name: - Gabriela Madrigal

Title: - Immunizations and Lead outreach

worker

Agency: - Long Beach Health Department

Service area zip code: - 90815

Name: - Isela Magallanes

Title: - LAG Chair

Agency: - Latino Advisory Group to the Chief

of Police, LB

Service area zip code: - All of Long Beach

Name: - C. Kevin Malotte

Title: - Professor

Agency: - California State University, Long

Beach – Health Science Department

Name: - Mel Marks MD

Title: - Executive Vice-President Agency: - Memorial Health Services

Service area zip code: - 90806

Name: - Jose Milland

Agency: - Long Beach Health Department

Service area zip code: - 90815

Name: - Mary Margaret Montgomery

Title: - Rehab Manager

Agency: - St. Mary Medical Center

Service area zip code: - 90813

Name: - Marisela Montoya

Title: - Public Health Associate III

Agency: - City of Long Beach WIC Program

Service area zip code: - 90813

Name: - Luz A. Parra

Title: - Case Manager

Agency: - Long Beach Health Department -

Latino Diabetes

Service area zip code: - 90814

Name: - Susan Needham

Service area zip code: - 90806

Name: - Terri Nikoletich

Title: - Public Health Nurse Supervisor,

MCAH Director

Agency: - City of Long Beach DHHS

Service area zip code: - 90815

Name: - Uduak Ntuk

Title: - Petroleum Engineer

Agency: - City of Long Beach

Service area zip code: - 90807

Name: - Julie Nunez RN

Title: - Palliative Care Manager

Agency: - St, Mary Medical Center

Service area zip code: - 90813

Name: - Phyllis O'Connor

Title: - Director (Health Care Issues)

Agency: - League of Women Voters, LA

County

Name: - Judy Ogunji

Title: - Manager

Agency: - City of Long Beach

Service area zip code: - 90746

Name: - Veronica Ornelas

Title: - Health Educator

Agency: - City of Long Beach Department of

Health and Human Services

Service area zip code: - 90815

Name: - Tim Patton

Title: - Senior Field Representative

Agency: - Office of Assemblymember Bonnie

Lowenthal

Service area zip code: - 90815

Name: - Nori Readdy

Title: - Director, Transformational Care

Agency: - St. Mary Medical Center

Service area zip code: - 908136

Service area zip code: - 90807

Name: - Jean Petrillo

Title: - Oral Health Education Coordinator Agency: - Children's Dental Health Clinic

Service area zip code: - 90806

Name: - Loraine Phomsopha Title: - RN, Director of Education Agency: - St Mary Medical Center Service area zip code: - 90813

Name: - Rachel Plotkin Olumese, RN, DHSc,

MSN/MSHCA, PHN

Title: - Community Outreach, Community

Benefits, & Advocacy

Agency: - St. Mary Medical Center

Service area zip code: - all

Name: - Jennifer Ponce

Title: - Director of Special Projects Agency: - The Children's Clinic

Service area zip code: - all Long Beach zip

codes

Name: - Wendy Puzarne Title: - Executive Director

Agency: - Jewish Family and Children's

Service

Service area zip code: - 90815

Name: - Naomi Rainey

Title: - President

Agency: Long Beach Branch NAACP

Service area zip code: - 90803

Name: - Joe Ramirez

Title: - Director Ancillary Services Agency: - St Mary Medical Center-LB

Service area zip code: - 90813

Name: - Elsa Ramos

Title: - Multi-Service Center Coordinator Agency: - Long Beach Multi-Service Center Service area zip code: - Long Beach, 90813

Name: - Pam Shaw

Title: - Nursing Services Officer

Agency: - Long Beach Department of Health

and Human Services

Service area zip code: - 90815

Name: - Karen Reside

Title: - Principal

Agency: - Reside & Associates Service area zip code: - 90802

Name: - Tonia Reyes Uranga Title: - Executive Director

Agency: - The Miguel Contreras Foundation

Service area zip code: - 90806, 90057

Name: - Britt Rios-Ellis

Title: - Professor and Director

Agency: - NCLR/CSULB Center for Latino

Community Health

Name: - Leslie Rosenthal

Title: - Owner, Certified Massage Therapist

Agency: - Massage Works Service area zip code: - 90815

Name: - Judy Ross

Title: - Executive Director

Agency: - Long Beach Nonprofit Partnership

Service area zip code: - 90808

Name: - Anthony Schiavoni

Title: - Physician Liaison

Agency: - St. Mary Medical Center Service area zip code: - 90813

Name: - Danielle Sees

Title: - PHN

Agency: - City of Long Beach Department of

Health & Human Services

Service area zip code: - all zip codes in Long

Beach

Name: - Lucille Sevigny Title: - Parish nurse, RN Agency: - St Matthews

Service area zip code: - 90813 90802

Name: - Mauro Torno Title: - Physician Agency: - LB DHHS

Service area zip code: - 90815

Name: - Tiffany Sickler Title: - District Administrator

Agency: - Koinonia Family Services Service area zip code: - 90746

Name: - Laura Sidney

Agency: - LB Community Improvement

League

Service area zip code: - 90805

Name: - Delores Simms

Title: - Community health worker

Agency: - Long Beach Alliance for Children

with Asthma

Service area zip code: - 90808

Name: - Stephanie Stembridge

Title: - Family Advocate

Agency: - Long Beach Memorial Service area zip code: - 90808

Name: - Joan Swain

Title: - RN

Service area zip code: - 90806

Name: - Diana Tang

Title: - Government Affairs Analyst

Agency: - City of Long Beach Service area zip code: - 90802

Name: - Jeanne Tapia

Title: - Director, Epidemiology and Employee

Health

Agency: - St. Mary Medical Center Service area zip code: - 90813

Name: - Alan Terwey
Title: - Executive Director

Agency: - Westside Neighborhood Clinic

Service area zip code: - 90810

Name: - Donna Woo Title: - Vice President Agency: - Pacific College Service area zip code: - 92626

Name: - Lori Woodruff

Name: - Marie Treadwell Title: - Membership Chair Agency: - Long Beach NAACP Service area zip code: - 90810-3531

Name: - Lara Turnbull

Title: - Project Director, Healthy Active Long

Beach

Agency: - City of Long Beach Department of

Health and Human Services

Service area zip code: - City-Wide (Long

Beach) 908XX

Name: - Noemy Umana

Title: - Director Agency: - YMCA

Service area zip code: - 90808

Name: - Francisco Vargas Title: - Youth services officer

Agency: - Long beach public library

Service area zip code: - 90822

Name: - Rosie Velazquez-Gutierrez LCSW

Title: - Center Director

Agency: - City of LB DHHS Center for

Families and Youth

Service area zip code: - Greater Long Beach

Area

Name: - Mark Wallace

Title: - Director of Public Affairs and

Governmental Relations Agency: - Cerritos College Service area zip code: - 90650

Name: - Felton Williams, Ph.D.

Name: - Jeff Williams Title: - Executive Director

Agency: - Leadership Long Beach Service area zip code: - 90813 Title: - Executive Director

Agency: - Tichenor Orthopedic Clinic for

Children

Service area zip code: - greater Long Beach

area

Name: - Mary Wright

Title: - Immunization Project Coordinator Agency: - Long Beach Health Department

Service area zip code: - 90815

Name: - Samin Yoak

Title: - Parent and family advocate

Agency: - Pacific Asian counseling services

Service area zip code: - 90807

Name: - Becky Yourex Title: - RN – Manager

Agency: - St Mary Medical Center - CARE

Clinic

Appendix B: ACKNOWLEDGEMENTS

Study sponsors, MemorialCare Health System's Community Hospital Long Beach, Miller Children's Hospital Long Beach and Long Beach Memorial, and Dignity Health – St. Mary Medical Center.

Collaborators included California State University Long Beach, Department of Health Care Administration, City of Long Beach Department of Health and Human Services, and City of Long Beach Development Services Planning Bureau.

Team members included: Cindy Gotz and Martha Gonzales (Long Beach Memorial and Miller Children's Hospital Long Beach), Loara Cadavona (Community Hospital Long Beach), Rachel Plotkin Olumese (St. Mary Medical Center), Steve Gerhardt (City of Long Beach Development Services Planning Bureau), Pam Shaw (City of Long Beach Department of Health and Human Services), Tony Sinay (California State University Long Beach, Department of Health Care Administration).

In addition, we would like to thank Tony Sinay, Natalie Whitehouse-Camupano and Veronica Acosta-Deprez for their assistance in analyzing the data and writing the report. Graduate assistant, Caitlin Rentler, deserves recognition for dedicating long hours in creating the graphs and charts for this project. We also appreciate the enthusiasm of several interns at St. Mary Medical Center who attended Long Beach community events and administered the greater Long Beach Health Needs Assessment Survey. We would also like to recognize Teresa Ninh, MSHCA graduate intern for Community Hospital Long Beach, for her diligent work on compiling this final report.